

WESTERN NEBRASKA
NORTHEAST NEBRASKA
NORTHERN ILLINOIS
SOUTHERN INDIANA
CENTRAL ILLINOIS
NORTH CENTRAL INDIANA
SOUTH CENTRAL NEBRASKA

Row #	Variety	Gr/unpopped kernals	Range From High to Low	Expansion	T	H	K-10	Oil Pop
F11	1117	6.2		3000	4.5	3.0	73	47.0
F33	1117	8.2		2800	4.0	3.5	60	45.0
T11	1117	10.1		2700			45	41.0
T33	1117	14.3		2700				43.0
P11	1117	6.9		2900	4.0	3.0	53	47.0
P33	1117	10.2		2800	2.0	3.0	56	47.0
H11	1117	6.6		3300	4.0	3.0	61	51.0
H33	1117	9.1		3100	4.0	3.0	55	51.5
M11	1117	8.6		3100	3.5	2.5	51	48.0
M33	1117	7.7		2900	3.5	3.5	59	43.0
D11	1117	13.0		2600	3.5	2.5	59	45.5
D33	1117	8.9		3000	2.5	3.0	65	46.0
C11	1117	5.9		2800	4.0	3.0		50.0
C33	1117	8.7		3200	4.0	3.5	53	51.0
Average	N1117	8.9	7.1	2921	3.6	3.0	58	46.9
F5	1160	9.2		3100	4.0	3.5	70	42.0
P24	1160	8.2		2900	4.0	3.0	51	48.0
P50	1160	11.1		2800	3.5	2.5	57	49.0
T5	1160	8.8		2900			52	45.0
T24	1160	11.7		2700			55	45.0
H24	1160	8.9		3400	4.0	3.0	59	51.0
M5	1160	8.9		3100	3.0	3.5	48	46.0
M39	1160	6.4		3000	3.5	3.0	49	47.0
D5	1160	13.2		2800	3.5	3.5	65	49.0
D24	1160	11.7		2800	3.0	3.0	61	49.0
C5	1160	5.8		3000	4.0	3.5	59	49.5
C39	1160	11.5		2900	4.0	3.0	56	50.5
Average	N1160	9.6	7.4	2950	3.7	3.2	57	47.6
F12	1517	6.0		2900	4.0	3.0	61	48.0
F32	1517	9.7		3000	3.0	3.5	56	49.0
T12	1517	8.8		2900			53	45.0
T32	1517	14.3		2700				43.0
P12	1517	4.9		3300	4.0	3.0	58	50.0
P32	1517	11.5		3000	2.0	3.0	72	50.5

Row #	Variety	Gr/unpopped kernels	Range From High to Low	Expansion	T	H	K-10	Oil Pop
H12	1517	16.1		2500	4.0	3.0	57	51.0
H32	1517	9.3		3200	4.0	3.0	56	51.0
M12	1517	15.6		2600	3.5	3.0	60	47.0
M32	1517	11.7		2800	3.0	3.0	61	45.0
D12	1517	15.1		2400	2.5	3.0	60	45.0
D32	1517	12.9		2400	2.5	2.5	65	43.5
C18	1517	12.7		3000	4.0	3.0	60	52.0
C32	1517	11.1		2900	4.0	3.0	64	50.0
Average	N1517	11.4	11.2	2829	3.4	3.0	60	47.9
C49	6317	13.4		2800	4.0	3.5	54	
F13	6317	7.7		3000	3.5	3.0	67	47.0
F35	6317	8.7		2800	4.0	3.5	57	46.5
P19	6317	10.0		3000	4.0	3.5	49	50.5
P58	6317	11.6		2800	4.0	3.0	54	50.5
M13	6317	5.1		3300	3.5	3.0	58	49.5
M44	6317	5.9		3400	3.0	3.0	61	50.5
D13	6317	9.8		2600	3.0	3.0	55	43.0
D35	6317	9.3		3200	2.5	3.5	66	50.0
Average	EXN6317	9.1	8.3	2989	3.5	3.2	58	48.4
F3	8156	6.9		2800	4.5	3.5	69	42.0
F26	8156	7.6		2800	4.0	3.0	63	46.0
T3	8156	7.1		2700			56	41.5
T26	8156	11.0		2800			54	43.0
P3	8156	8.1		2900	4.0	3.5	55	47.0
P26	8156	7.9		2900	4.0	2.5	61	49.5
H3	8156	5.6		2900	4.0	3.0	57	49.0
H26	8156	6.5		3100	4.0	3.5	57	48.5
M3	8156	5.2		3300	3.5	3.5	60	48.0
M37	8156	8.9		3200	2.5	3.0	64	46.0
D3	8156	9.3		3100	3.0	3.5	60	48.0
D26	8156	11.4		3100	3.5	3.0	66	50.0
C3	8156	10.8		2800	4.0	3.5	65	49.0
C37	8156	6.6		3100	4.0	3.5	60	49.0
Average	N8156	8.1	6.2	2964	3.8	3.3	61	46.9
P30	11261	6.0		2600	3.0	2.5	58	43.5
H30	11261	8.8		3100	4.0	3.0	56	49.5
F10	11262	8.0		2900	4.0	3.0	59	48.0
F30	11262	10.3		2900	4.0	3.0	56	46.0
T10	11262	6.9		2800			48	37.0
T30	11262	12.5		2600			54	40.0
P10	11262	7.6		2900	4.0	3.0	55	46.0
P43	11262	8.6		2800	4.0	3.0	56	46.0

Row #	Variety	Gr/unpopped kernals	Range From High to Low	Expansion	T	H	K-10	Oil Pop
H10	11262	5.8		3200	4.0	3.5	54	48.5
M10	11262	8.2		3000	3.0	3.0	53	45.0
M30	11262	6.8		3100	2.5	3.5	52	43.0
D10	11262	9.3		2900	3.0	3.0	59	45.5
D30	11262	10.5		2500	3.5	2.5	55	43.0
C10	11262	8.1		2900	5.0	3.0	50	45.0
C30	11262	10.8		2800	4.0	3.0	57	47.0
Average	N11262	8.5	6.7	2867	3.7	3.0	55	44.9
F1	11649	10.9		2500	4.0	3.0	62	42.0
T1	11649	14.2		2400			52	39.5
T28	11649	11.4		2700			55	42.0
P28	11649	5.6		2800	4.0	3.0	52	44.0
P54	11649	4.7		2800	3.5	3.0	53	45.0
H28	11649	18.5		2500	4.0	3.0	61	47.0
H35	11649	5.5		3300	4.0	3.0	58	48.5
M1	11649	10.4		3100	3.5	3.0	68	46.5
M35	11649	11.8		2900	2.5	2.5	61	46.0
D1	11649	13.4		2500	3.0	3.5	63	47.0
D28	11649	13.8		2800	3.5	3.0	69	47.5
C1	11649	9.4		2600	4.0	3.0	61	46.5
C35	11649	8.5		3200	4.0	3.0	60	47.5
Average	N11649	10.6	13.0	2777	3.6	3.0	60	45.3
P13	15264	9.6		2900	4.0	3.5	56	47.0
P57	15264	12.5		2700	3.5	3.0	56	46.0
H13	15264	8.2		2900	4.0	3.0	61	48.0
H57	15264	9.1		2800	4.0	3.0	59	46.0
Average	N15262	9.9	4.3	2825	3.9	3.1	58	46.8
F2	15820	9.6		2800	4.0	3.5	70	43.0
F27	15820	7.3		2800	4.0	3.5	59	44.0
P2	15820	5.8		2900	4.0	3.0	53	47.0
T2	15820	7.9		2900			54	42.0
T27	15820	11.5		2600			58	42.0
P27	15820	5.9		3000	4.0	3.0	54	47.0
H2	15820	6.0		3100	4.0	3.5	60	50.0
H27	15820	8.4		3300	4.0	3.0	54	48.5
M2	15820	5.3		3400	3.5	3.5	60	47.0
M36	15820	8.8		3100	2.5	3.0	61	45.5
D2	15820	9.3		2700	3.5	3.0	66	46.5
D27	15820	10.1		2800	3.5	3.0	67	49.0
C2	15820	10.4		2600	4.0	3.5	58	49.0
Average	N15820	8.2	6.2	2923	3.7	3.2	60	46.2
T17	15952	12.7		2800			50	44.0

Row #	Variety	Gr/unpopped kernals	Range From High to Low	Expansion	T	H	K-10	Oil Pop
T31	15952	18.6		2300			52	43.0
P44	15952	12.5		2800	4.0	3.0	66	51.0
H18	15952	5.9		3500	4.0	3.0	52	51.0
H41	15952	7.5		3200	4.0	3.0	56	49.0
M17	15952	13.1		3000	3.5	3.0	56	50.0
M60	15952	18.1		2400	3.5	3.0	57	42.0
D19	15952	13.6		2600	4.0	3.5	68	49.0
D55	15952	10.7		3300	3.5	3.5	65	50.5
Average	EXN15952	12.5	12.7	2878	3.8	3.1	58	47.7
H44	15990	12.1		2800	4.0	2.5	53	46.0
H60	15990	10.8		2900	4.0	3.0	51	48.0
D18	15990	9.3		2800	4.0	3.0	64	49.0
D31	15990	5.3		3000	4.0	3.5	58	44.5
Average	EXN5990	9.4	6.8	2875	4.0	3.0	57	46.9
F4	42820	6.3		2600	4.0	3.5	68	42.0
F25	42820	5.7		2600	4.5	3.0	66	43.0
P4	42820	6.0		2900	4.0	3.0	52	45.0
P38	42820	12.7		2900	3.5	3.0	68	50.0
T4	42820	7.3		2900			52	46.0
T25	42820	14.2		2600			54	45.5
H4	42820	3.6		3100	4.0	3.5	54	48.5
H38	42820	3.8		3100	4.0	3.5	57	47.0
M4	42820	7.3		3100	3.0	3.0	59	46.0
M38	42820	6.0		2900	3.0	3.0	51	44.0
D4	42820	9.2		2700	3.5	3.5	60	49.0
D25	42820	11.2		2800	3.0	3.5	65	50.0
C4	42820	7.8		2700	4.0	3.0	58	47.0
C38	42820	9.8		2900	4.0	3.5	62	48.0
Average	N42820	7.9	10.6	2843	3.7	3.3	59	46.5
F20	820139	9.8		2800	4.0	3.0	70	49.0
F36	820139	7.4		3000	4.0	3.0	62	47.0
T19	820139	11.8		2800			56	47.0
M20	820139	10.1		3100	3.5	3.0	60	50.0
M45	820139	5.3		3400	3.5	3.5	54	50.0
D14	820139	10.8		2800	3.0	2.5	61	49.0
D36	820139	20.0		2400	2.5	3.5	78	46.5
Average	EXN820139	10.7	14.7	2900	3.4	3.1	63	48.4
F9	AA2501	13.1		2800	4.0	3.5	69	45.0
F34	AA2501	9.1		2900	4.0	3.0	63	45.0
T9	AA2501	9.6		2400			51	37.5
P9	AA2501	5.0		3000	4.0	3.0	51	46.0
P34	AA2501	7.2		2900	3.0	3.0	57	47.5

Variety Averages

